

A SPECIFICATIONS:

В

- COVER: 11GA (.090)ALUMINUM ,STIFFENED TO WITHSTAND A LIVE LOAD OF 40PSF WITH A MAX DEFLECTION OF 1/150 OF THE SPAN.
- (2) CURB: 11GA (.090)ALUMINUM CURB COUNTERFLASH WITH EZ TABS.
- 3 FINISH: MILL
- (4) INSULATION: 1" POLYISO R-6 (5.6 LTTR) IN CURB,
- 1" POLYSTYRENE R-4 (3.8 LTTR) IN COVER. **(5)** GASKET: EXTRUDED EPDM RUBBER ADHESIVE BACKED GASKET SEAL COUNTINUOUS AROUND COVER.
- SPRING: GAS SPRING WITH DAMPER FOR SMOOTH, CONTROLLED, COUNTERBALANCED LIFT ASSISTANCE.
- $\langle \overline{7} \rangle$  **HINGE:** PINTLE HINGE WITH STAINLESS STEEL HINGE PINS.
- (8) HOLD OPEN ARM: ZINC PLATED STEEL AUTOMATIC HOLD OPEN ARM LOCKS COVER IN FULLY OPEN POSITION WITH RED VINYL GRIP HANDLE PULL RELEASE.

- (7) LATCH: ZINC PLATED STEEL SLAM LATCH, HOLDS COVER CLOSED AGAINST WIND UPLIFT, INTERIOR AND EXTERIOR TURN HANDLES WITH PADLOCK HASPS.
- PULL HANDLE: INTERIOR PULL DOWN HANDLE, SAFETY YELLOW
  POWDER COAT

## NOTES:

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BABCOCK-DAVIS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BABCOCK-DAVIS IS PROHIBITED.


-WHEN INSTALLING ON A PITCHED ROOF UP TO 7:12, THE HINGE SIDE(LENGTH)MUST BE PARALLEL TO THE SLOPE. - WIDTH X LENGTH DIMENSIONS ARE MEASURED INSIDE CURB TO INSIDE CURB. THE WIDTH IS HINGE TO LATCH AND LENGTH IS HINGED SIDE.

 $\begin{array}{l} \textbf{ROOF HATCH SIZE } 36'' \ (WIDTH) \times 36'' \ (LENGTH) \\ \textbf{CLEAR OPENING } 28'' (WIDTH) \times 35 \ 1/2'' \ (LENGTH) \\ \textbf{ROUGH OPENING } 36'' \ (WIDTH) \times 36'' \ (LENGTH) \\ \end{array}$ 

	PROJEC	CT:					
ARCHITECT:							
CONTRACTOR:							
QTY:							
PART:				BRHHA36X36S1T			
babcock davis 9300 73rd Avenue North, Brooklyn Park, MN 55428				TITLE:	ILE: Roof Hatch, Hurricane 36x36, Sngl Dr, Alum, Mill, Sngl Wall Curb		
	NAME	DATE	SIZE	DWG. NO.			REV
DRAWN	SGS	04/01/15	Α	BRHHA36X36S1T			-
RELEASED	IMT	04/01/15	WE	IGHT: 68.5 lb	DS	SHEET 1	OF 2

А

2



2

В

А

1